



MSDS 1.4G CPP 09-01-05

All 1.4G Santore products are covered by this MSDS.

MATERIAL SAFETY DATA SHEET

CLOSE PROXIMITY PRODUCTS, (all)

*Name and Synonyms

Articles Pyrotechnic / Fireworks 1.4G

*Trade Names

N/A

*Manufacturer

Ralph Santore & Sons Inc.

*Ingredients

Contains pyrotechnic composition: a solid mixture of oxidizer and fuel that will burn if ignited. These Items are classified as 1.4G Explosives by the U.S. Department of Transportation. No chemical composition is exposed during normal handling and storage.

*Physical Data

Boiling Point: N/A Specific Gravity: N/A
Vapor Pressure: N/A Vapor Density: N/A
Evap. Rate: N/A Melting Point: N/A
Solubility: Slight

*Appearance

All pyrotechnic composition is contained in a cardboard casing.

*Fire and Explosion Data

Flash Point: N/A Flammable Limits: N/A
Lel: N/A Uel: N/A

*Extinguishing Media

Flood with water when small quantities are involved

*Special Fire Fighting Procedures

DO NOT use suffocation methods. Allow product to burn, and prevent the spread of fire.

*Actual Fire & Explosion Hazard

Fireworks will burn rapidly in the event of fire.

*Storage and Handling

Do not smoke Store in dry cool area
Handle with care Avoid mechanical shock

*Reactivity Data	Stability: Stable Hazardous polymerization: will not occur Conditions to avoid: Open Flames, smoking Materials to avoid: Exposure to water
*Hazardous Decomposition Products	Smoke, nitrogen oxides, and sulfur oxides
*Environmental Protection Procedures	Spill: No smoking or open flames around spilled materials. Carefully pick up spilled items and place in cardboard boxes. Sweep up any exposed composition with natural fiber brush.
*Special Protection Information	Eye protection: N/A Skin protection: N/A Ventilation: N/A Other protection: N/A Respiratory: Not required when working with finished product.
*Special Precautions	Avoid open flames, smoking, and temperatures above 170 degrees F.

This sheet is used in production sites in the United States of America, and cannot be construed as being a binding injunction, it does not replace the legislation applicable to qualified users of the products in accordance with recognized practices. May be used to comply with OSHA'S Hazard Communication Standard 29 CFR 1910. 1200.

*Emergency Response Info

Factory Number - 1-800-749-6757
Emergency Response Number- 1-800-255-3924
Fax Number- 1-386-437-5015